

THE HYGIENE MANAGEMENT SYSTEM

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Date of issue: 14/04/2017 Revision date: 21/08/2015 : Version: 10.1

SHOE AND HELMET SPRAY

0149

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Shoe and Helmet Spray Aerosol - 480ml

Product code : **0149**Type of product : Aerosol
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only
Use of the substance/mixture : non tainting residual sanitiser

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Merton Group UK Ltd Unit 9 Foxholes Road off Golf Course Lane Leicester LE3 1TH

Tel: 0116 231 4040 Fax: 0116 2873570 Email: headoffice@mertongroup.co.uk

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229 Eye Irrit. 2 H319 STOT SE 3 H336

Full text of classification categories and H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : propan-2-ol, isopropyl alcohol, isopropanol

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, protective gloves

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

P405 - Store locked up

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Document generated @ 14/04/2017 13:05:50 Page 1 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01- 2119457558-25	30 - 60	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
butane substance with national workplace exposure limit(s) (DK, GB, IE)	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0	5 - 15	F+; R12	Flam. Gas 1, H220 Press. Gas
propane substance with national workplace exposure limit(s) (DK, IE)	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	5 - 15	F+; R12	Flam. Gas 1, H220

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Explosion hazard : Explosion risk in case of fire.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

Document generated @ 14/04/2017 13:05:50 Page 2 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Precautions for safe handling : Do not spray on an open flame or other ignition source. Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/122 °F.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Incompatible materials : Direct sunlight. Heat sources. Sources of ignition.

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Denmark Local name Propan Denmark Grænseværdie (langvarig) (mg/m²) 1800 mg/m² Denmark Grænseværdie (langvarig) (ppm) 1000 ppm Ireland Local name Propane Ireland Notes (IE) Asphx butane (106-97-8) Denmark Local name n-Butan Denmark Grænseværdie (langvarig) (mg/m²) 1200 mg/m² Denmark Grænseværdie (langvarig) (ppm) 500 ppm Ireland Local name Butane Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m²) 1450 mg/m² United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m²) 1810 mg/m² United Kingdom WEL STEL (ppm) 750 ppm United Kingdom WEL STEL (ppm) 600 ppm United Kingdom Remark (WEL) Carc. (only applies if Butane contains more than 0.1% of buta-1,3-diene)	propane (74-98-6)		
Denmark Grænseværdie (langvarig) (ppm) 1000 ppm Ireland Local name Propane Ireland OEL (8 hours ref) (ppm) 1000 ppm Ireland Notes (IE) Asphx butane (106-97-8) Denmark Local name Denmark Grænseværdie (langvarig) (mg/m²) 1200 mg/m² Denmark Grænseværdie (langvarig) (ppm) 500 ppm Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m²) 1450 mg/m² United Kingdom WEL TWA (mg/m²) 1450 mg/m² United Kingdom WEL STEL (mg/m²) 1810 mg/m² United Kingdom WEL STEL (mg/m²) 200 ppm Denmark Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-ol, isopropyal al	Denmark	Local name	Propan
reland	Denmark	Grænseværdie (langvarig) (mg/m³)	1800 mg/m³
Ireland OEL (8 hours ref) (ppm) 1000 ppm	Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Notes (IE)	Ireland	Local name	Propane
butane (106-97-8) Denmark Local name n-Butan Denmark Grænseværdie (langvarig) (mg/m²) 1200 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 500 ppm Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³	Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Denmark Local name n-Butan Denmark Grænseværdie (langvarig) (mg/m³) 1200 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 500 ppm Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Eopropylalkohol (2005) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (mg/m³) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m²)	Ireland	Notes (IE)	Asphx
Denmark Grænseværdie (langvarig) (mg/m³) 1200 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 500 ppm Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom WEL STEL (ppm) 750 ppm United Kingdom WEL STEL (ppm) 800 mg/m³ Denmark Grænseværdie (langvarig) (mg/m²) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m²) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswarde TGG 8H (mg/m²) 650 mg/m³	butane (106-97-8)	-	
Denmark Grænseværdie (langvarig) (ppm) 500 ppm Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1, 3-diene) propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) United Kingdom Isopropylalkohol (2005) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Irelan	Denmark	Local name	n-Butan
Ireland Local name Butane Ireland OEL (8 hours ref) (ppm) 1000 ppm United Kingdom Local name Butane United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (mg/m³) 750 ppm United Kingdom WEL STEL (ppm) 750 ppm United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-oI, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Denmark	Grænseværdie (langvarig) (mg/m³)	1200 mg/m³
DEL (8 hours ref) (ppm) 1000 ppm 1000 ppm 1000 ppm 1000 ppm 1450 mg/m³ 1810 mg/m³	Denmark	Grænseværdie (langvarig) (ppm)	500 ppm
United Kingdom Local name Butane United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Ireland	Local name	Butane
United Kingdom WEL TWA (mg/m³) 1450 mg/m³ United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Ireland	OEL (8 hours ref) (ppm)	1000 ppm
United Kingdom WEL TWA (ppm) 600 ppm United Kingdom WEL STEL (mg/m³) 1810 mg/m³ United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	United Kingdom	Local name	Butane
United KingdomWEL STEL (mg/m³)1810 mg/m³United KingdomWEL STEL (ppm)750 ppmUnited KingdomRemark (WEL)Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)DenmarkLocal nameIsopropylalkohol (2005)DenmarkGrænseværdie (langvarig) (mg/m³)490 mg/m³DenmarkGrænseværdie (langvarig) (ppm)200 ppmGermanyTRGS 900 Limitation of exposure peaks (mg/m³)1000 mg/m³IrelandLocal nameIsopropyl alcoholIrelandOEL (8 hours ref) (ppm)200 ppmIrelandOEL (15 min ref) (ppm)400 ppmIrelandNotes (IE)SkNetherlandsGrenswaarde TGG 8H (mg/m³)650 mg/m³	United Kingdom	WEL TWA (mg/m³)	1450 mg/m³
United Kingdom United Kingdom Remark (WEL) Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) Propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) Denmark Grænseværdie (langvarig) (ppm) Germany TRGS 900 Limitation of exposure peaks (mg/m³) Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) DeL (15 min ref) (ppm) Ireland Notes (IE) Netherlands Grenswaarde TGG 8H (mg/m³) Sarch Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) 1800 pmg/m³ 1900 mg/m³ 1000 mg/m³ 1000 mg/m³ 1000 ppm	United Kingdom	WEL TWA (ppm)	600 ppm
United Kingdom Remark (WEL) Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) Propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) Denmark Local name Isopropylalkohol (2005) Denmark Grænseværdie (langvarig) (mg/m³) Denmark Grænseværdie (langvarig) (ppm) Germany TRGS 900 Limitation of exposure peaks (mg/m³) Ireland Local name Isopropylalkohol (2005) 1000 mg/m³ Ireland Isopropylalkohol Isopropylalkoh	United Kingdom	WEL STEL (mg/m³)	1810 mg/m³
of buta-1,3-diene)propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)DenmarkLocal nameIsopropylalkohol (2005)DenmarkGrænseværdie (langvarig) (mg/m³)490 mg/m³DenmarkGrænseværdie (langvarig) (ppm)200 ppmGermanyTRGS 900 Limitation of exposure peaks (mg/m³)1000 mg/m³IrelandLocal nameIsopropyl alcoholIrelandOEL (8 hours ref) (ppm)200 ppmIrelandOEL (15 min ref) (ppm)400 ppmIrelandNotes (IE)SkNetherlandsGrenswaarde TGG 8H (mg/m³)650 mg/m³	United Kingdom	WEL STEL (ppm)	750 ppm
DenmarkLocal nameIsopropylalkohol (2005)DenmarkGrænseværdie (langvarig) (mg/m³)490 mg/m³DenmarkGrænseværdie (langvarig) (ppm)200 ppmGermanyTRGS 900 Limitation of exposure peaks (mg/m³)1000 mg/m³IrelandLocal nameIsopropyl alcoholIrelandOEL (8 hours ref) (ppm)200 ppmIrelandOEL (15 min ref) (ppm)400 ppmIrelandNotes (IE)SkNetherlandsGrenswaarde TGG 8H (mg/m³)650 mg/m³	United Kingdom	Remark (WEL)	
Denmark Grænseværdie (langvarig) (mg/m³) 490 mg/m³ Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	propan-2-ol, isopropyl alc	ohol, isopropanol (67-63-0)	
Denmark Grænseværdie (langvarig) (ppm) 200 ppm Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Denmark	Local name	Isopropylalkohol (2005)
Germany TRGS 900 Limitation of exposure peaks (mg/m³) 1000 mg/m³ Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Denmark	Grænseværdie (langvarig) (mg/m³)	490 mg/m³
Ireland Local name Isopropyl alcohol Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Denmark	Grænseværdie (langvarig) (ppm)	200 ppm
Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Germany	TRGS 900 Limitation of exposure peaks (mg/m³)	1000 mg/m³
Ireland OEL (15 min ref) (ppm) 400 ppm Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Ireland	Local name	Isopropyl alcohol
Ireland Notes (IE) Sk Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Ireland	OEL (8 hours ref) (ppm)	200 ppm
Netherlands Grenswaarde TGG 8H (mg/m³) 650 mg/m³	Ireland	OEL (15 min ref) (ppm)	400 ppm
	Ireland	Notes (IE)	Sk
Netherlands Grenswaarde TGG 15MIN (mg/m³) 0 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m³)	650 mg/m³
<u> </u>	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0 mg/m³

Document generated @ 14/04/2017 13:05:50 Page 3 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm

8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : Protective gloves

Eye protection : Not required for normal conditions of use
Skin and body protection : Not required for normal conditions of use
Respiratory protection : Not required for normal conditions of use



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aerosol.
Colour : Colourless.
Odour : Fresh.

Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point : No data available Freezing point Boiling point : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : 0.59

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

Document generated @ 14/04/2017 13:05:50 Page 4 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

10.4. Conditions to avoid

Direct sunlight. Heat. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SHOE & HELMET SANITISER

Vaporizer Aerosol

SECTION 12: Ecological information

12.1. Toxicity

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LC50 fishes 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
Log Pow	0.14

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Do not pierce or burn, even after use.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1950 UN-No. (IMDG) : 1950 UN-No. (IATA) : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS

Document generated @ 14/04/2017 13:05:50 Page 5 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

: AEROSOLS, FLAMMABLE Proper Shipping Name (IATA) Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D) Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1 Danger labels (ADR) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1 Danger labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1 Hazard labels (IATA) : 2.1



14.4. **Packing group**

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable

Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

Special precautions for user 14.6.

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1L Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9 Transport category (ADR) : 2 Special provisions for carriage - Packages : V14

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: S2

Special provisions for carriage - Operation

(ADR)

: CV9, CV12

Document generated @ 14/04/2017 13:05:50

Page 6 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Tunnel restriction code (ADR) : D

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS,

Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aerosol 1	Aerosol, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas	Gases under pressure
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H319	Causes serious eye irritation

Document generated @ 14/04/2017 13:05:50 Page 7 of 8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

H336 May cause drowsiness or dizziness

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated @ 14/04/2017 13:05:50 Page 8 of 8