

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/7

### 06062 - Office Sanitising Wipe

 Revision
 2

 Revision date
 2020-06-01

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	06062 - Office Sanitising Wipe Tub of 100
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Description	Hard Surface Sanitiser.
1.3. Details of the supplier of the	e safety data sheet
Company	Merton Group UK Ltd
Address	Unit 9 Foxholes Road
	off Golf Course Lane Leicester LE3 1TH
	www.mertongroup.co.uk
Web	
Telephone Fax	0116 231 4040
Email	headoffice@mertongroup.co.uk
Email address of the	
competent person	
1.4. Emergency telephone numb	Der
Emergency telephone number	+44 (0)161 643 3000
	9.00 am - 5.00 pm Mon - Fri
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC	Eye Irrit. 2: H319; STOT SE 3: H336;
1272/2008	
2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement:	STOT SE 3: H336 - May cause drowsiness or dizziness. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P261 - Avoid breathing dustrume/gas/mis/vapours/spray. P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.

2.2. Label elements	
Precautionary Statement: Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER/doctor/ medical professional /if you feel unwell.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to
2.3. Other hazards	
Other hazards	No Significant Hazard.
SECTION 3: Composition/in	formation on ingredients

### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	612-140-00-5	63449-41-2	264-151-6		0.5 - 1%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400;
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		20 - 30%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
d-alpha-pinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
p-cymene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
p-Menta-1,4-diene		99-85-4	202-794-6		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
Myrcene		123-35-3	204-622-5			Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;

### Further information

No data available.

### SECTION 4: First aid measures 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
Ingestion	DO NOT INDUCE VOMITING.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	Ingestion may cause nausea and vomiting.	
4.3. Indication of any immediate medical attention and special treatment needed		
Inhalation	If you feel unwell, seek medical advice (show the label where possible).	

Copyright © 2020 ChemSoft. All rights reserved.

4.3. Indication of any immediate	medical attention and special treatment needed	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	If you feel unwell, seek medical advice (show the label where possible).	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
	Use extinguishing media appropriate to the surrounding fire conditions.	
5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes.	
5.3. Advice for firefighters		
	Wear self contained breathing apparatus and protective clothing.	
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.	
6.2. Environmental precautions		
	Do not allow product to enter drains. Prevent further spillage if safe.	
6.3. Methods and material for co	ntainment and cleaning up	
	Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.	
6.4. Reference to other sections		
	See section 8 for further information.	
SECTION 7: Handling and st	torage	
7.1. Precautions for safe handlin	IG	
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear suitable protective clothing, gloves and eye/face protection.	
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.	
7.3. Specific end use(s)		
	See section 1.2 for further information.	
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
	Occupational exposure controls.	

8.1.1. Exposure Limit Values

 Revision
 2

 Revision date
 2020-06-01

### 8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Myrcene	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 1000
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:

#### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.	
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	Approved safety goggles.	
Skin protection - Handprotection	Wear suitable gloves.	
Skin protection - Other	Wear suitable protective clothing.	
Respiratory protection	Wear suitable respiratory equipment when necessary.	
Occupational exposure controls	Keep away from food, drink and animal feedingstuffs.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties

 Revision
 2

 Revision date
 2020-06-01

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear/Colourless
Odour	Characteristic
Odour threshold	No data available
рH	5 - 6
Melting point	-5 °C
Freezing Point	-5 °C
Initial boiling point	95 °C
Flash point	> 24 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.995 - 1.005
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Miscible in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	No data available
compounds)	
SECTION 10: Stability and reactivity	

#### 10.1. Reactivity

Stable under normal conditions.		
10.2. Chemical stability		
Stable under normal conditions.		
actions		
No data is available on this product.		
No data is available on this product.		
10.5. Incompatible materials		
Acids. Bases. Oxidising agents.		
10.6. Hazardous decomposition products		
No data is available on this product.		
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
May cause irritation to skin.		

Revision

2

# 06062 - Office Sanitising Wipe

		Revision date 2020-06-01
11.1. Information on toxicologica	l effects	
Serious eye damage/irritation	May cause irritation to eyes.	
11.1.4. Toxicological Information		
Myrcene	Oral Rat LD50: >11390	Dermal Rabbit LD50: >5000
SECTION 12: Ecological info	prmation	
12.2. Persistence and degradab	lity	
	No data is available on this product.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
BCF: Bioconcentration factor.		
Benzalkonium Chloride 50%	BCF: Bioconcentration factor. 2.8800 L/kg	
Partition coefficient		
	WH20 - Hard Surface Cleaner No data available	Myrcene 5.285 log P
12.4. Mobility in soil		
	No data is available on this product.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of in compliance with all local and national regula	ations.
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for use		
	The product is not classified as dangerous for carriage.	
14.7. Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory inf	ormation	
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or n	nixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN of 18 December 2006 concerning the Registration, Evalua Chemicals (REACH), establishing a European Chemicals and repealing Council Regulation (EEC) No 793/93 and C	ation, Authorisation and Restriction of Agency, amending Directive 1999/45/EC

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

No data is available on this product.

### SECTION 16: Other information

#### Other information

Revision	This document differs from the previous version in the following areas:.		
	2 - Precautionary Statement: Storage.		
	2 - Precautionary Statement: Disposal.		
	9 - 9.1. Information on basic physical and chemical properties (Flash point).		
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.		
Section 3	Acute Tox. 4: H312 - Harmful in contact with skin.		
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.		
	Aquatic Acute 1: H400 - Very toxic to aquatic life.		
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.		
	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	STOT SE 3: H336 - May cause drowsiness or dizziness.		
	Flam. Liq. 3: H226 - Flammable liquid and vapour.		
	Skin Irrit. 2: H315 - Causes skin irritation.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.		
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.		
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		
	storage and handling of the product. This information is correct to the best of our knowledge and		
	belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in		

combination with any other materials or in any other process.