

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 02/03/2021 Version: 10.5

Generated : 01/03/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form : Mixture | |
|---|--|
| Trade name Floor Polish Stripper 5ltr x 2 | |
| UFI STV3-W0ET-K004-DXK6 | |
| Product code : 1119 | |
| Type of product : Detergent | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture Professional useFor professional use or

For professional use onlyFloor cleaner / floor polish

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Merton Group UK Limited

Unit 9 Foxholes Road off Golf Course Lane Leicester LE3 1TH

Tel: 0116 231 4040 Email: headoffice@mertongroup.co.uk

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| Skin corrosion/irritation, Category 1, Sub-Category 1B | H314 |
|--|------|
| Serious eye damage/eye irritation, Category 1 | H318 |
| Full text of H statements : see section 16 | |

Adverse physicochemical, human health and environmental effects

No additional information available

| 2.2. Label elements | |
|---------------------|--|
|---------------------|--|

| Labelling | according t | to Regulation | (EC) No. | 1272/2008 [CLP] | 1 |
|-----------|-------------|---------------|----------|-----------------|---|
| | | | | | |

Hazard pictograms (CLP)



- : disodium metasilicate; 2-aminoethanol; ethanolamine; sodium hydroxide; caustic soda
- : H314 Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Precautionary statements (CLP) | P264 - Wash hands thoroughly after handling. P280 - Wear eye protection. |
|--------------------------------|---|
| | |
| | P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. |
| | Rinse skin with water or shower. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P315 - Get immediate medical advice/attention. |
| | P405 - Store locked up. |
| | |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------|---|
| disodium metasilicate | (CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 (REACH-no) 01-2119449811-37 | 1 – 5 | Skin Corr. 1B, H314 STOT SE 3, H335 |
| tetrasodium ethylene diamine tetraacetate | (CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27 | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| 2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit | (CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28 | 1 – 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314 |
| Sodium xylenesulphonate | (CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56 | 1 – 5 | Eye Irrit. 2, H319 |
| sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27 | 1 – 5 | Skin Corr. 1A, H314 |

| Specific concentration limits: | | |
|---|---|---|
| Name | Product identifier | Specific concentration limits |
| 2-aminoethanol; ethanolamine | (CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28 | (5 ≤C ≤ 100) STOT SE 3, H335 |
| sodium hydroxide; caustic soda | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27 | (0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314 |
| Full text of H-statements: see section 16 | | |

Document generated @ 01/03/2022 15:29:43

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SECTION 4: First aid measures | |
|--|---|
| 4.1. Description of first aid measures | |
| First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact | Get medical advice/attention if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy |
| First-aid measures after ingestion 4.2. Most important symptoms and ef | to do. Continue rinsing. Get immediate medical advice/attention. Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. |
| Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion | May cause respiratory irritation. Burns. Causes serious eye damage. Burns. |
| 4.3 Indication of any immediate medi | cal attention and special treatment needed |

Treat symptomatically.

| SECTION 5: Firefighting measures | |
|--|-------------------------------------|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. |
| 5.2. Special hazards arising from the sub | stance or mixture |
| Hazardous decomposition products in case of fire | : Corrosive vapours. |
| 5.3. Advice for firefighters | |

No additional information available

| SECTION 6: Accidental release measures | | |
|---|--|--|
| 6.1. Personal precautions, protective equ | ipment and emergency procedures | |
| 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment | Evacuate unnecessary personnel. Use personal protective equipment as required. | |
| 6.2. Environmental precautions | | |
| Avoid release to the environment. | | |
| 6.3. Methods and material for containment | nt and cleaning up | |
| For containment Methods for cleaning up | Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. | |
| 6.4. Reference to other sections | | |

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SECTION 7: Handling and storage | | |
|---|--|--|
| 7.1. Precautions for safe handling | | |
| Precautions for safe handling Hygiene measures | Avoid contact with skin and eyes.Do not eat, drink or smoke when using this product. | |
| 7.2. Conditions for safe storage, inc | cluding any incompatibilities | |
| Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging | Does not require any specific or particular technical measures. Keep container closed when not in use. Oxidizing agent. Strong acids. Metals. Keep only in original container. | |
| 7.3. Specific end use(s) | | |

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| 2-aminoethanol; ethanolamine (141-43-5) | | |
|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | 2-Aminoethanol | |
| IOEL TWA | 2.5 mg/m³ | |
| IOEL TWA [ppm] | 1 ppm | |
| IOEL STEL | 7.6 mg/m³ | |
| IOEL STEL [ppm] | 3 ppm | |
| Notes | Skin | |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC | |
| Ireland - Occupational Exposure Limits | | |
| Local name | 2-Aminoethanol [Ethanolamine] | |
| OEL TWA [1] | 2.5 mg/m³ | |
| OEL TWA [2] | 1 ppm | |
| OEL STEL | 7.6 mg/m³ | |
| OEL STEL [ppm] | 3 ppm | |
| Notes (IE) | Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | 2-Aminoethanol | |
| WEL TWA (OEL TWA) [1] | 2.5 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 1 ppm | |
| WEL STEL (OEL STEL) | 7.6 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 3 ppm | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 2-aminoethanol; ethanolamine (141-43-5) | |
|---|---|
| Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

| sodium hydroxide; caustic soda (1310-73-2) | | |
|---|------------------|--|
| Ireland - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL STEL | 2 mg/m³ | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| WEL STEL (OEL STEL) | 2 mg/m³ | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

| Eye protection: | |
|------------------------|--|
| Safety glasses. EN 166 | |

8.2.2.2. Skin protection

| Skin and body protection: | |
|-----------------------------------|--|
| Wear suitable protective clothing | |

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Other skin protection

Materials for protective clothing:

Safety boots. PICM008

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|---|---------------------|
| Appearance | : Liquid. |
| Colour | : red. |
| Odour | : odourless. |
| Odour threshold | : No data available |
| рН | : 13.1 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : ≥ 100 °C |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1.08 |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Metals. Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information | | |
|--|---|---|
| 11.1 Information on toxicological effects | | |
| Acute toxicity (oral) Acute toxicity (dermal) | - | Not classified Not classified |
| Acute toxicity (unhalation) | | Not classified |
| Skin corrosion/irritation | - | Causes severe skin burns. pH: 13.1 |
| Serious eye damage/irritation | | , Causes serious eye damage. pH: 13.1 |
| Respiratory or skin sensitisation | : | Not classified |
| Germ cell mutagenicity | : | Not classified |
| Carcinogenicity | : | Not classified |
| Reproductive toxicity | : | Not classified |
| STOT-single exposure | : | Not classified |
| disodium metasilicate | | |
| STOT-single exposure | | May cause respiratory irritation. |
| STOT-repeated exposure | : | Not classified |
| Aspiration hazard | : | Not classified |

| SECTION 12: Ecological information | |
|---|------------------|
| 12.1. Toxicity | |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

| Sodium xylenesulphonate (1300-72-7) | |
|-------------------------------------|-----------------------|
| EC50 - Other aquatic organisms [1] | > 1020 mg/l waterflea |

| sodium hydroxide; caustic soda (1310-73-2) | |
|--|---------------------|
| LC50 - Fish [1] | > 35 mg/l |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea |
| 12.2. Persistence and degradability | |

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 12.3. Bioaccumulative potential | | |
|---|-------|--|
| Sodium xylenesulphonate (1300-72-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | -3.12 | |
| | | |
| sodium hydroxide; caustic soda (1310-73-2) | | |
| Partition coefficient n-octanol/water (Log Pow) | -3.88 | |
| 12.4. Mobility in soil | | |
| No additional information available | | |
| 12.5. Results of PBT and vPvB assessment | | |
| No additional information available | | |
| 12.6. Other adverse effects | | |
| No additional information available | | |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| 14.1 UN number | | |
|---|---|--------------|
| UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) | : UN 1760 : UN 1760 : UN 1760 | |
| 14.2. UN proper shipping name | | |
| Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IMDG) | CORROSIVE LIQUID, N.O.S. CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s. UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III, (E) UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM | |
| Transport document description (IMDO) | METASILICATE), 8, III : UN 1760 Corrosive liquid, n.o.s., 8, III | |
| 14.3. Transport hazard class(es) | | |
| ADR Transport hazard class(es) (ADR) Danger labels (ADR) | : 8 : 8 : | |
| IMDG Transport hazard class(es) (IMDG) | : 8 | |
| Document generated @ 01/03/2022 15:29:43 | | Page 8 of 11 |

Safety Data Sheet

Danger labels (IMDG)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 8

| IATA Transport hazard class(es) (IATA) Danger labels (IATA) | 2 8 2 8 |
|---|--|
| | |
| 14.4. Packing group | |
| Packing group (ADR) Packing group (IMDG) Packing group (IATA) | : III : III : III |
| 14.5. Environmental hazards | |
| Dangerous for the environment | : No |
| Marine pollutant Other information | : No : No supplementary information available |
| 14.6. Special precautions for user | |
| Overland transport | |
| Classification code (ADR) | : C9 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 51 |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T7 |
| Portable tank and bulk container special provisions | : TP1, TP28 |
| (ADR) | : L4BN |
| Tank code (ADR) Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | 80 1760 |
| Tunnel restriction code (ADR) | : E |
| EAC code APP code | : 2X : B |
| Transport by sea | |
| Special provisions (IMDG) | : 223, 274 |
| Limited quantities (IMDG) | : 5L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP1, TP28 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Document generated @ 01/03/2022 15:29:43 | Page 9 of 1 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Air transport | | |
|--|---|------|
| PCA Excepted quantities (IATA) | : | E1 |
| PCA Limited quantities (IATA) | : | Y841 |
| PCA limited quantity max net quantity (IATA) | : | 1L |
| PCA packing instructions (IATA) | : | 852 |
| PCA max net quantity (IATA) | : | 5L |
| CAO packing instructions (IATA) | : | 856 |
| CAO max net quantity (IATA) | : | 60L |
| Special provisions (IATA) | : | A3 |
| ERG code (IATA) | : | 8L |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

```
: Not applicable.
```

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

| Detergent Regulation (648/2004/EC): Labelling of contents: | | |
|--|---|--|
| Component | % | |
| EDTA and salts thereof, anionic surfactants, non-ionic surfactants <5% | | |

15.1.2. National regulations

United Kingdom

British National Regulations

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | | | | |
|-------------------------------------|---|--|--|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | | | |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | | | |
| Acute Tox. 4 (Inhalation:vapour) | Ir) Acute toxicity (inhalation:vapour) Category 4 | | | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | | | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | | | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | | | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | | | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | | | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | | | |

Document generated @ 01/03/2022 15:29:43

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | | |
|-----------|--|--|--|
| H302 | Harmful if swallowed. | | |
| H312 | larmful in contact with skin. | | |
| H314 | Causes severe skin burns and eye damage. | | |
| H315 | Causes skin irritation. | | |
| H318 | Causes serious eye damage. | | |
| H319 | Causes serious eye irritation. | | |
| H332 | Harmful if inhaled. | | |
| H335 | May cause respiratory irritation. | | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/20 |)8 [CLP]: |
|--|-----------|
|--|-----------|

| Skin Corr. 1B | H314 | Calculation method |
|---------------|------|--------------------|
| Eye Dam. 1 | H318 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.